



- NOTES:**
- 1: GEL COAT THICKNESS .020" ±.005.
  - 2: 1ST LAMINATE .125" NOMINAL THICKNESS.
  - 3: BACK & SIDE WALLS REINFORCED WITH WOOD & SINGLE FACED CORRUGATE.
  - 4: GRAB BAR REINFORCEMENTS ARE INSTALLED TO MEET REQUIREMENTS OF CALIFORNIA BUILDING CODE CHAPTER 11A, SECTION 1109A.7.
  - 5: BOTTOM REINFORCED WITH WOOD TO MEET 300# LOAD TEST.
  - 6: 2ND LAMINATE COVERS ALL REINFORCEMENTS PLUS .100" ADDED TO UNREINFORCED AREAS.
  - 7: COMPOSITE CONSISTS OF: A) GELCOAT, B) RESIN, C) GLASS, D) FILLER

1/4" PER FT SLOPE TO DRAIN

NAME AND MODEL ID

UNIT PART NUMBERS		UNLESS OTHERWISE SPECIFIED TOLERANCES ARE AS FOLLOWS	
RIGHT HAND UNIT	<b>TS60-32HC-R</b>	DECIMAL: .XX = ±.010 .XXX = ±.005	FRACTIONAL: ±1/8" ANGULAR: ±1/2°
LEFT HAND UNIT	<b>TS60-32HC-L</b>	CAPACITY/ OPERATING LEVEL:	GAL
<small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FIBER CARE BATHS, INC. ANY REPRODUCTION OR UNAUTHORIZED USE IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FIBER CARE BATHS, INC. IS STRICTLY PROHIBITED. PRODUCT CONFIGURATION, DIMENSIONS, STANDARD ACCESSORIES, MATERIALS COMPOSITION AND CONSTRUCTION ARE SUBJECT TO CHANGE WITHOUT NOTICE.</small>		CAPACITY/ OVERFLOW LEVEL:	GAL
		APPROX. UNIT WEIGHT:	LBS
		APPROX. SHIPPING WEIGHT:	LBS

**Fiber Care Baths, Inc.**  
9832 Yucca Rd.  
Adelanto, CA 92301  
Phone: 760-246-0019  
Fax: 760-246-5189

**TITLE**  
**TUB/SHOWER COMBO, 3 WALL, HANDICAPPED - MOD 1**

DWN	SIZE	MODEL #	REV
KA	A	<b>TS60-32HC</b>	D
DATE	SCALE	PAGE	1 OF 1
11/12/07	<b>NTS</b>		